

ZKTeco's Turnstiles

Mars Series & Mars Pro Series





CONTENT

1. Introduction

- Mars Series:
 - B1000 Series, F1000 Series, S1000 Series
- Mars Pro Series:
 - F1000 Series, S1000 Series

2. Modularized Design

- Sandwich Structure
- Authentication Panel
- Reserved a Place for Facial Recognition,
 Temperature and Mask Detection Terminals
- Infrared Sensor Extension

3. Installation

- Lane Width
- Base Plate


4. Market Positioning Analysis

- Comparison with ZKTeco's Similar Products
- Comparison with Competitors' Similar Products

5. Applications

- Sports Halls
- Elevator Lobbies
- Offices





Introduction

- Mars Series:
 - B1000 Series, F1000 Series, S1000 Series
- Mars Pro Series:
 - F1000 Series, S1000 Series



Mars Series of Turnstiles Standard Version

The standard version is made of stainless steel.







Mars-F1000 Series Mars-B1000 Series Mars-S

Mars-S1000 Series



Mars Pro Series of Turnstiles Premium Version

The premium version is made of SPCC material with white color powder coating.







Mars Pro-S1000 Series



Positioning


Model Name	Description	Positioning
Mars-F1000	Single-lane, with master and slave devices.	Low-end
Mars-F1200	Dual-lane, an additional barrier turnstile to form multiple lanes.	Low-end
Mars-B1000	Single-lane, with master and slave devices.	Low-end
Mars-B1200	Dual-lane, an additional barrier turnstile to form multiple lanes.	Low-end
Mars-S1000	Single-lane, with master and slave devices.	Low-end
Mars-S1200	Dual-lane, an additional barrier turnstile to form multiple lanes.	Low-end
Mars Pro-F1000	Single-lane, with master and slave devices.	High-end
Mars Pro-F1200	Dual-lane, an additional barrier turnstile to form multiple lanes.	High-end
Mars Pro-S1000	Single-lane, with master and slave devices.	High-end
Mars Pro-S1200	Dual-lane, an additional barrier turnstile to form multiple lanes.	High-end



Naming Rules

Model Name	Description
Mars-F10 <u>00</u>	A single-lane flap barrier without readers and access controllers.
Mars-F10 <u>11</u>	A single-lane flap barrier with 2 RFID readers and 1 PGIC controller.
Mars-F10 <u>22</u>	A single-lane flap barrier with RFID and FP readers, plus 1 PGIC access controller.
Mars-F12 <u>00</u>	A dual-lane flap barrier without readers and access controllers.
Mars-F12 <u>11</u>	A dual-lane flap barrier with 2 RFID readers and 1 PGIC controller.
Mars-F12 <u>22</u>	A dual-lane flap barrier with RFID and FP readers, plus 1 PGIC access controller.






Modularized Design

- Sandwich Structure
- Authentication Panel
- Reserved a Place for Facial Recognition,
 Temperature and Mask Detection Terminals
- Infrared Sensor Extension




Modularized Design -





Modularized Design Sandwich Structure

Note: The Mars Series consists of the main base (dark grey) and the outside cover (light purple). If you want to access the interior of the turnstile, please refer to the below.





Step 1 Step 2



Modularized Design Authentication Panels

Biometric Technology

Up to 6 types of biometric authentication panels are available.



RFID only



RFID & QR Code



RFID & Card Slot



RFID & Fingerprint



RFID & Fingerprint & QR Code



RFID & Card Slot & QR Code



Modularized Design Reserved a Hole to Install a Comprehensive A&C Terminal



Reserved a hole with a diameter of 34mm and used a plastic cover to entirely cover this hole.




Clients could mount a facial recognition terminal with mask and temperature detection on the turnstile.




Modularized Design Infrared Sensor Extension

The Series supports a maximum of 22 pairs of IR sensors, offering more accurate judgment and better anti-tailgating and anti-collision performance.







Installation


- Lane Width
- Base Plate





Installation Lane Width

Clients could choose the lane width as desired.

Model Name	Mars (Pro)-F1000 Series	Mars (Pro)- B1000 Series	Mars (Pro)-S1000 Series	
Lane Width or Height	W: 600mm H: N/A	W: 650 to 900mm H: N/A	W: 650 to 900mm H: 1300 to 1600mm	
Applications		j j Š		










Installation Base plate

It is easy to fix or uninstall the turnstile on the site with a base plate provided.

For details, please refer to the Installation Guide.





Installation Key Specifications

Model Name	MCBF	Dimensions (mm)	Barrier Material	Emergency Mode	Working Environment	IR Sensor (QTY)
Mars-F1000 Series	3M	1360*180*1010	Acrylic	Υ	Indoor	5 pairs
Mars-B1000 Series	5M	1360*180*1010	Acrylic	Υ	Indoor	6 pairs
Mars-S1000 Series	5M	1355*120*1020	Acrylic	Υ	Indoor	8 pairs
Mars Pro-F1000 Series	10M	1360*180*1010	Acrylic	Υ	Indoor	16 pairs
Mars Pro-S1000 Series	10M	1355*120*1020	Acrylic	Υ	Indoor	20 pairs

Installation Key Features





Modularization: Prices are more competitive, and products could be shipped and delivered more quickly



Only removing 4 pcs screw, you can access all the interior components.




Access reader panels reduces middlemen's or users' inventory pressure and installation time & expenses

Reliability

MCBF of the standard version device is proven to be over 2M, while what of the premium version is proven to be up to 10M. The Series supports 5-year warranty.





Market Positioning Analysis

- Comparison with ZKTeco's Similar Products
- Comparison with Competitors' Similar Product

Comparison within ZKTeco



Model Name (new ver.)	Model name (old ver.)	Comparison Results	
Mars-F1000 Series 1. Brushless motor driver 2. Full modularization 3. More competitive pricing	FBL6000 Pro 1. DC Brush motor 2. Partial modularization 3. Higher costs	 Mars-F1000 Series Using brushless motor which has longer life cycle Full modularization design is easy for maintenance More competitive pricing 	
Mars-B1000 Series1. Brushless motor driver2. Full modularization3. More competitive pricing	SBTL5000/6000 1. DC Brush motor 2. Partial modularization 3. Higher costs	 Mars-B1000 Series Using brushless motor which has longer life cycle Full modularization design is easy for maintenance More competitive pricing 	
 Mars-S1000 Series 1. Brushless motor driver 2. Full modularization 3. SUS304 material 4. 8 pairs of IR sensors 	 SBTL7000 Brushless motor driver Full modularization SPCC with powder coating 6 pairs of IR sensors 	 Mars-S1000 Series SUS304 material is more durable 2 more pairs of IR sensors 	
Mars Pro-F1000 Series 1. Brushless motor driver, 10M MCBF 2. Full modularization 3. More competitive pricing	FBL5000 Pro1. DC Brush motor driver2. Full modularization3. More competitive pricing	 Mars Pro-S1000 Series 10M of MCBF, 5-year warranty Full modularization design is easy for maintenance Powder coating with white color 	
 Mars Pro-S1000 Series Servo motor driver, 5 years of warranty Full modularization SPCC material with powder coating 	SBTL8000 1. Servo motor driver 2. Partial modularization 3. SUS304 cabinet material	 Mars Pro-S1000 Series 10M of MCBF, 5-year warranty Full modularization design is easy for maintenance Powder coating with white color 	

Comparison with Competitors' Products

Flap barrier

Flap barrier

motor, 13 pairs of IR

sensors

Type



Swing barrier

IR sensors

Brand	riap barrier	riap barrier	Swilly barrier	Swilly barrier	Swilly balliel
ZKTeco	F1000 MCBF>3m, brushless motor, 5 pairs of IR sensors	Pro F1000 MCBF>10m, brushless motor, 8 pairs of IR sensors	B1000 MCBF>5m, brushless motor, 6 pairs of IR sensors	S1000 MCBF>5m, brushless motor, 8 pairs of IR sensors	Pro S1000 MCBF>10m, Servo motor, 12 pairs of IR sensors
A	1 MCBF>5m, brushless motor,5 pairs of IR sensors		2 MCBF>5m, brushless motor. 4 pairs of IR sensors		3 MCBF>5m, brushless motor, 10 pairs of IR sensor
В	1 MCBF>3m, brushless motor			2 MCBF>3m, brushless motor	
С		1 MCBF>6M, Servo motor, 12 pairs of IR sensors	2 MCBF>6M, Servo motor, 12 pair of IR sensors	3 MCBF>6M, Servo motor, 12 pairs of IR sensors	4 MCBF>6M, Servo motor, 24 pairs of IR sensors
D			1 MCBF>5M, Servo motor, 12 pairs of IR sensors	2 MCBF>5M, Servo motor, 12 pairs of IR sensors	3 MCBF>5M, Servo motor, 20 pairs of IR sensors
E		MCBF>15M, brushless			2 MCBF>15M, brushless motor, 8 pairs of

Swing barrier

Swing barrier





Applications

- Sports Halls
- Elevator Lobbies
- Offices




Applications Sport Halls

Device recommended: Mars-B1000 Series

- Obvious indicator guidance
- Anti-collision for core mechanism
- Wide lane width of 900mm
- IR sensors that detect abnormal situation and trigger alarm







Applications Elevator Entrances

Device recommended: Mars-S1000 Series

- Obvious indicator guidance
- Faster opening/closing speed
- Wide lane width of 900mm
- Different multi-biometric identification reader panels available








Applications Office Areas

Device recommended: Mars-F1000 Series

- Obvious indicator guidance
- Faster opening/closing speed
- Automatic opening during emergency
- Different multi-biometric identification reader panels available







Applications Stations

Device recommended: Mars Pro-F1000 Series

- Obvious indicator guidance
- Faster opening/closing speed
- Automatic opening during emergency
- Different multi-biometric identification reader panels available
- MCBF up to 10 millions







Applications Exhibition Centers

Device recommended: Mars Pro-S1000 Series

- Obvious indicator guidance
- Faster opening/closing speed
- Wide lane width of 900mm
- Different multi-biometric identification reader panels available
- MCBF up to 10 millions







THANK YOU!

