

DS-3E0508-E(B) Gigabit Ethernet Switch

DS-3E0508-E(B) switch is a layer 2 gigabit Ethernet switch, providing 8 1000M Ethernet ports to upload data via the convergence switch. The switch is reliable, easy to install and maintain, and equipped with rapid switch function. With multiple access ports, the switch is applicable for access or aggregation and upload of small-scale LAN devices.



Feature and Function

- 8 x 1000M Ethernet ports.
- Supports IEEE 802.3, IEEE 802.3u and IEEE 802.3x.
- 1000M network access.
- Wire-speed forwarding and non-blocking design.
- · Store-and-forward switching.
- Solid high-strength metal shell.
- · Fan-free design with high reliability.

Specification

Model	DS-3E0508-E(B)
Network parameters	
Port number	8 x 1000M Ethernet port
Port type	RJ45 port, Full duplex, MDI/MDI-X adaptive
Standard	IEEE 802.3, IEEE 802.3u, IEEE 802.3x
Processing type	Store-and-forward switching
MAC address table	4 K
Exchange capacity	16 Gbps
Packet forwarding rate	11.904 Mpps
Internal cache	1.5 Mbits






Model	DS-3E0508-E(B)
Mechanical structure	
Shell	Metal material, fan-free design
Weight	0.25 kg (0.6 lb)
Dimensions (L \times H \times D)	145 mm × 25.6 mm × 68.4 mm (5.7" × 1.0" × 2.7")
Environment	
Operating temperature	0°C to 40°C (32°F to 104°F)
Storage temperature	-40°C to 85°C (-40°F to 185°F)
Relative humidity	5% to 95% (no condensation)
Power supply	
Power supply specification	5 VDC,1 A

Physical Interface

Front panel:




Back panel:



Available Model


• DS-3E0508-E(B)

Dimension





Typical Application





Headquarters

Vo.te's Vanmu Road, Hirtung Beltital, Hangshou 310051, Ohine 1 - 65 071-6007-0998 Averseashusiness (Shikelsion.com

#liv/ision USA 1 +1 908 885 0400 salsau sa(ii) bikutsin noom

Hikvisian Australia 1+51-2-9595-6213 subsaug@Nikdslan.tom

Historian India T+NT-P2-284698001 88H8@gramanks/sion.com

Hikvision Canada 1+1-8H3-200-H380 seisa canada (@Nikvision.com

Hillorision Thailand T +362-275-3949 select hetendigitikweren com Hikvision Europe 1 rst - 23 5542775 saks augstiwision own

Hikvision Italy 1 - 39 0438 6902 mlg. (@hispani.com

Hisdelen Brazil

+ 55 1E 3318 - 0000

International Conference of the Conference of

Hilovisian Turkey T +90 (218/521 7070 - 7070) salestri@Hildstriction

Hikwelon Nalaysia 1 +601-7652-2913 ades my@hikvision.com Hilotation LK & Instand 1 / 01,628 902,140 salasuk@htikesinn.com

Hilly Islan South Africa Tel: +27 (10) 0354172 sale africa (Shiky Islandon

Hikvisian France T +33001-85-330-150 Into troublevis incom

Hikvision Kazakhstan. T +7-727-9730967 O'Kia poolitov(2016/Jelect.ru)

Hilloriston Vietnam 1 + H/- 9 / 42 / USB9 soles / (((0.h) Wision.com) Hikvision UAE 1971-14 4432389 naissna@hikvinion.com

Hikkisten Singapere T.+55-8589-4718 ap@irkkistor.com

Illikvision Spaln = +3=-91=737=18=55 Into as@felikvision.nom

Hikvision Toshkant 1 (30-87, 12.86, 34.38) (ph@hiv/sichz)

Hikidsian Hong Kong 7 4852-2151-1791 errotte@Protects.com Hikvision Buseta T + 7 < 95 - 669 - 67 - 98 solor o/@finiwis to com

Hikvision Koreş T +82-INI31-731-8617 selse koreş@rifvision.com

Hikvision Poland T +48-PP-460-01-50 Propp@hikvision.com

Hikvision Indonesia 1 x102-21 2036/59 Salas Indonesia@blaceinn com

Hikvision Colombia soles commissión kvister arom

© Hikvisian Eigital Technology Co., Ltd. 2019. Eata subject to change without notice I