

Smart Interactive Display

MW3586-T



Key Features

- 86" ultra-HD display
- Metal housing, 4mm AG anti-glare tempered glass, and ultra-thin and ultra-narrow appearance
- IR (Infrared Ray) touch technology, supports 20 points writing.
- Writing height below 2mm to bring smoother writing experience
- All-channel annotating, built-in Android writing software
- Smart sidebar menu
- Wireless screen sharing, convenient to presentation
- Built-in Android system and optional with Pluggable PC Module
- Double LAN bridging, supporting Android, Pluggable PC Module (Windows system) and external PC realize network bridging
- Public USB port auto switch
- Antenna hidden inside
- All channel can be loop-outed by HDMI



Specifications

Model	MW3586-T
Display	
Screen Size	85.6 inches
Backlight	D-LED
Pixel Pitch	0.4935mm×0.4935mm
Resolution	3840×2160
Brightness	400 cd/m ²
Contrast	1200:1
Response Time	8 ms
Color	1.07B
Viewing Angle	Horizontal 178°, Vertical 178°
View Area	1895.04 (W) x 1065.96 (H)
Android System	
CPU Architecture	ARM A73+A53
CPU Working Frequency	1.5GHz
CPU Core	Quad Core
RAM	3GB DDR4
ROM	16GB
OS	Android 8.0
Touch	
Sensing Type	Infrared Touch Frame
Touch Accuracy	±1mm
Surface Protection	4mm Toughened Glass
Response Time	≤10ms
Theory Clicks	Unlimited
Minimum Touch Object	≥2mm
Interface	
Input Interface	HDMI ×3、DP ×1、VGA ×1、LAN ×2、PC-AUDIO IN ×1、YPBPR ×1、AV ×1、TOUCH-USB ×2、OPS ×1、Android USB×2、Public USB×2、
Output Interface	HDMI×1、AV×1、S/PDIF×1、AUDID OUT×1
Control Interface	RS232-IN×1
Speaker	
Speaker	2×15W
OSD	
Multi- Language	22 (English, Turkish,Danish,Norwegian-Bokmol,Romanian,Greek,Arabic,France, Spanish, Portuguese, German, Italian, Dutch, Swedish, Finnish, Polish, Czech, Russia, Korea, Simplified Chinese, Traditional Chinese, Japanese)
VESA	


VESA	4-M8 Screw Hole 600mmx400mm
General	
Power Supply	100 to 240 V AC
Consumption	≤ 500 W(on without OPS) < 0.5 W(Standby)
Operation Temperature	0°C ~ 40 °C
Operating Humidity	20%~80% (No Condensation)
Storage Temperature	-10 ~ 60 °C
Storage Humidity	10% ~ 80%(No Condensation)
Product Size (mm)	1989.18 (W) × 1080.22 (H) × 119.7 (D)
Packing Size (mm)	2140 (W) × 1340 (H) × 280 (D)
Weight	Net Weight:77Kg Gross Weight:99.5Kg
Accessory	
Standard	Remote Control×1,Power Cable×1, HDMI Cable×1, USB A-B Cable×1, Touch Pen×2, Qualified Certificate Lable×1, User Manual×1, Quick Guide×1, Warranty Card×1, Wall Mount×1,USB WiFi Adapter×1

Appearance

Dimensions



Interfaces



Order Information

Model	Remake
MW3586-T	Smart Interactive Display
Mobile Stand	optional
External Pluggable PC Module (I7 Intel Core™ processors; not active)	optional
External Pluggable PC Module (I5 Intel Core™ processors; not active)	Optional
USB Camera	Optional

Zhejiang Uniview Technologies Co.,Ltd.

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

<http://www.uniview.com>

©2020 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.