
# Installation Instruction

LH4000

Version:1.0

Date: May 2014

# Diagram and Caution



1

## Caution



Do not overexert when tighten the screws.



Do not use electric tool to tighten the screws.



Please wear eye-protection device to protect your eyes when drilling and slotting











Outward









# **Installation Step**

1. Align the template along the vertical center line of the mortise at the desired handle height, and tape it to the door. Drill the hole on the door.




# 2. Remove two screws (D) from mortise latch plate




### 3. Install mortise (A)


## 4. Install mortise latch plate (C)




**Note:** Two Triangles on the mortise must be in horizontal alignment (as the above enlarged figure).


## 5. Install lock cylinder (E)








7.Install 8x8 spindle (H) and 5x5 spindle (L), and fix the




### 8. Install batteries (N)

# 9. Measure the doorframe for strike dimensions and drill the hole



#### 10. Test lock

- 1. Test lock by rotating handle and emergency key.
- 2. You can use emergency key by removing the cover on the lock cylinder with screwdriver or nails.



### Maintenance

- 1. Avoid contacting with corrosive substances.
- 2. Do not hang objects on the handle.
- 3. When battery power is lower, the lock will beep to remind user to renew the batteries.
- 4. Please do not mix up positive and negative while replacing battery.
- 5. To avoid leaking, it is better to renew battery at least once in half year. Do not use battery of poor quality.

# Warm tips

- The demonstration figure in this installation instruction maybe different with your actual product, the actual product shall prevail.
- 2. The software within the lock manages the RFID cards, for more details please refer to the software user manual.
- 3. Please keep the emergency key in a safe place, as backup.
- 4. If there are any questions, please do not hesitate to contact the seller.