

## DS-19A08-01BNG



- Supports 8 wired onboard inputs, expandable to 256, 4 onboard outputs expandable to 256
- Supports up to 32 keypads, 32 keyfobs
- Supports multiple communication methods: PSTN + Wired IP + GPRS
- Supports up to 64 wireless zones using transceiver DS-PM-RSWR



## ▪ Specification

Software features	
Phone numbers	6
SMS notification	support
Schedule	Support (Normal Schedule/Preferential Schedule)
Configuration tools	IVMS4200/Hik-Central/Keypad
Firmware update tools	Remote upgrade via network
User	1 installer code, 1 master code and 199 operator code
Area	8
Hardware features	
Printer interface	1 RS-232
PSTN	1, PSTN expander interface
Tamper-Proof	Tampering alarm
Communication interface	1 RS485 Half-duplex
Network interface	1, RJ45 10M/100M Ethernet Interface
Bus	MBUS
Electrical characteristics	
Power supply	AC220V
Power interface	AC220V
Operation humidity	10% to 90%
Operation temperature	-10°C to 55°C
Power consumption	≤ 60W (Load Power ≤ 40W)
General	
Dimension(WxHxD)	370 mm × 320 mm × 86 mm
Application scenario	mainly applied to various industries such as finance, judicature, education, transport, electricity as well as shopping malls, stores, residences, apartments, communities and so on
Shell material	metal
Color	lightgray
Weight	< 3.5 kg
Device management	
Alarm output	256
Alarm input	256
Zones	256
Relay output	4
Keypad	32
Sounder output	1
Keyfob	32
Repeater	4
Report method	
Protocol	SDK, CID (DC05), SADP, DHCP

**▪ Available Model**

DS-19A08-01BNG

Distributed by:

**HIKVISION****Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou, 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-965-0400  
sales.usa@hikvision.com

**Hikvision Australia**  
T +61-2-8593-4233  
sales.au@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pram.hikvision.com

**Hikvision Canada**  
T +1-800-280-6990  
sales.canada@hikvision.com

**Hikvision Thailand**  
T +662-275-3646  
sales.thailand@hikvision.com

**Hikvision Europe**  
T +31-23-3616270  
sales.eu@hikvision.com

**Hikvision Italy**  
T +39-0429-6902  
info.it@hikvision.com

**Hikvision Brazil**  
T +55-11-3315-0050  
latam.support@hikvision.com

**Hikvision Turkey**  
T +90-12160217070-7074  
sales.tr@hikvision.com

**Hikvision Malaysia**  
T +601-7652-2413  
sales.my@hikvision.com

**Hikvision UK & Ireland**  
T +41520-902140  
sales.uk@hikvision.com

**Hikvision South Africa**  
Tel: +2711010361172  
sales.africa@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-450  
info.fr@hikvision.com

**Hikvision Kazakhstan**  
T +7-727-8730667  
nikkapanfilov@hikvision.kz

**Hikvision Vietnam**  
T +84-919270998  
sa.ec.vi@hikvision.com

**Hikvision UAE**  
T +971-4-4420090  
sales.me@hikvision.com

**Hikvision Singapore**  
T +65-9684-4718  
sg@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Tashkent**  
T +99-87-1239-9432  
uzb@hikvision.ru

**Hikvision Hong Kong**  
T +852-2151-1701  
info.hk@hikvision.com

**Hikvision Russia**  
T +7-495-660-67-90  
sales.ru@hikvision.com

**Hikvision Korea**  
T +82-10151-731-8617  
sales.korea@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
info.pl@hikvision.com

**Hikvision Indonesia**  
T +62-21-2932709  
Sales.indonesia@hikvision.com

**Hikvision Colombia**  
sales.colombia@hikvision.com